


# MEC 150

The Mobile  
Endoscopy  
Center

Four independently  
operated light outlets



otopront®

# MEC 150

## The Mobile Endoscopy Center

### General Characteristics

One of the latest OTOPRONT developments, the MEC 150 fits in with the entire line of OTOPRONT units and can also be used as a stand alone system.

Due to its mobility on four antistatic rubber castors and space saving design it can be used in a variety of locations; the hospital clinic, on the ward for bedside visits, or indeed in the specialist's consulting room.

Four powerful, independently operated halogen bulbs are connected to an automatic on/off switch via photodetector.

To protect the scopes from fogging, the MEC 150 incorporates four thermostatically controlled heating quivers, while four additional disinfection quivers secure (micro processor controlled) a clean scope when needed. All quivers are available for rigid and flexible Endoscopes.

To complete the set, a head lamp rest with automatic on/off switch can be mounted either at the left or right hand side of the unit.

The halogen lamps are easy to change without tools. The top can be opened without tools as well.



Represented by:



### Technical Data

<b>Light power</b>	4 light outlets, each 150 W Halogen
<b>Intensity</b>	adjustable, 75 W or 150 W
<b>Light connection</b>	Storz fitting, snap system
<b>Disinfection quivers</b>	4 Teflon disinfection quivers
<b>Heating quivers</b>	4 thermostatic controlled heating quivers
<b>Microprocessor</b>	automatic on/off switch of the Halogen lamps as well as control of disinfection time
<b>Cleaning</b>	quivers are detachable for cleaning/autoclaving
<b>Casing</b>	steel casing with 2-layer paint
<b>Weight</b>	26 kg
<b>Dimensions</b>	420 x 900 x 500 mm (WxHxD)
<b>Power supply</b>	110 - 230 V, 50/60 Hz
<b>CE mark</b>	accord. to MDD 93/42/EEC

All designs and specifications subject to change without notice.

### Happersberger otopront

Medical Equipment Manufacturer

D-65329 Hohenstein · P. O. Box · Germany

Tel. +49-6120-9217-0 · Fax +49-6120-9217 60

www.otopront.com · info@otopront.com

**otopront®**